

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 1A (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4
WATER TENDER (1): WT3LPF
CREWS (1): CRW3LPF

2nd Alarm

-AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
-LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
-LPF will except and process any AFV resource order request utilizing our federal ordering process.
-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
-Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
-ASTRAL 34 49.386 x 120 33.567 Hydrant Waterpoint T2 Helibase Road Accessible 100' elevation HIGE
-BLUFF 34 51.950 x 120 36.866 T1 Helispot, Tender Access, 50', HIGE
-GLOBE RD. 34 51.376 x 120 34.563 T1 Helispot, Road Accessible, Pressure fill 500' hose, HIGE
-LF-08 34 52.485 120 38.064 T1 Helispot, Paved, HIGE
-MOSES RIDGE 34 52.133 x 120 34.584, T1 Helispot, Access Point Sal Road, HIGE
-NORTH FIRE BREAK RIDGE 34 53.395 x 120 36.035 T1 Helispot, multi-helicopters HIGE
-POINT SAL GATE 34 53.290 x 120 38.119 T2 Helispot Need 800 key HIGE
-RATTLE SNAKE RIDGE 34 51.073 x 120 33.581 T1 Helispot, multi helicopters, HIGE
-SAN ANTONIO CREEK 34 46.309 x 120 34.356 Waterpoint, Pond environmental concern, use for life or structures theatened only, 100', HOGE
-TOWER 34 51.002 X 120 35.928 T1 Helispot/Waterpoint, Tender Accessible, 50' HIGE
-WALL BEACH 34 42.307 x 120 35.965 T1 Helispot w/windsock, Medevac site just off road, 40' HIGE
-SKY VIEW 34 35.721 x 120 38.258 T2 Helispot, Dust Abatement, 135' HIGE

Prepared 07-04-2020 07:34:38

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 1B (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4
WATER TENDER (1): WT3LPF
CREWS (1): CRW3LPF

2nd Alarm

-AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
-LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
-LPF will except and process any AFV resource order request utilizing our federal ordering process.
-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
-Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
-SAN ANTONIO CREEK 34 46.309 x 120 34.356 Waterpoint, Pond environmental concern, use for life or structures threatened only, 100', HIGE
-WALL BEACH 34 42.307 x 120 35.965 T1 Helispot w/windsock, Medevac site just off road, 40' HIGE
-SLC 4 34 38.476 X 120 36.850 T2 Helispot/Waterpoint, Traffic Control Needed, Powerlines in the area, 100' HIGE
-SLC6 34 35.041 x 120 38.178 T1 Helispot/Waterpoint, Tender accessible, 135' HIGE
-SOUTH GATE 34 39.668 x 120 33.802 T1 Helispot/Waterpoint, Tender accessible, 173' HIGE
-TRANQUILLION PEAK 34 34.924 x 120 34.296 T2 Helispot, 1,599' HIGE
-SURF DEPOT 34 40.948 x 120 36.292 T1 Helispot, Medevac site, roads, needs traffic control, 47' HIGE
-OCEAN PARK 34 41.438 x 120 36.003 T2 Helispot, Medevac Site, Parking Lot will need traffic control, 27' HIGE

Prepared 07-04-2020 07:34:40

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 2 (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4
WATER TENDER (1): WT3LPF
CREWS (1): CRW3LPF

2nd Alarm

-AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
-LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
-LPF will except and process any AFV resource order request utilizing our federal ordering process.
-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
-Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
-ASTRAL 34 49.386 x 120 33.567 Hydrant Waterpoint T2 Helibase Road Accessible 100' elevation HIGE
-BLUFF 34 51.950 x 120 36.866 T1 Helispot, Tender Access, 50', HIGE
-GLOBE RD. 34 51.376 x 120 34.563 T1 Helispot, Road Accessible, Pressure fill 500' hose, HIGE
-LF-08 34 52.485 120 38.064 T1 Helispot, Paved, HIGE
-MOSES RIDGE 34 52.133 x 120 34.584, T1 Helispot, Access Point Sal Road, HIGE
-NORTH FIRE BREAK RIDGE 34 53.395 x 120 36.035 T1 Helispot, multi-helicopters HIGE
-POINT SAL GATE 34 53.290 x 120 38.119 T2 Helispot Need 800 key HIGE
-RATTLE SNAKE RIDGE 34 51.073 x 120 33.581 T1 Helispot, multi helicopters, HIGE
-SAN ANTONIO CREEK 34 46.309 x 120 34.356 Waterpoint, Pond environmental concern, use for life or structures theatened only, 100', HOGE
-TOWER 34 51.002 X 120 35.928 T1 Helispot/Waterpoint, Tender Accessible, 50' HIGE
-WALL BEACH 34 42.307 x 120 35.965 T1 Helispot w/windsock, Medevac site just off road, 40' HIGE
-SOUTH GATE 34 39.668 x 120 33.802 T1 Helispot/Waterpoint, Tender accessible, 173' HIGE

Prepared 07-04-2020 07:34:43

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 3A (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4
WATER TENDER (1): WT3LPF
CREWS (1): CRW3LPF

2nd Alarm

- AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
- LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
- LPF will except and process any AFV resource order request utilizing our federal ordering process.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
- LIONS HEAD - 400', N 34° 52.167' x W 120° 36.986'
- Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
- ASTRAL 34 49.386 x 120 33.567 Hydrant Waterpoint T2 Helibase Road Accessible 100' elevation HIGE
- BLUFF 34 51.950 x 120 36.866 T1 Helisport, Tender Access, 50', HIGE
- GLOBE RD. 34 51.376 x 120 34.563 T1 Helisport, Road Accessible, Pressure fill 500' hose, HIGE
- LF-08 34 52.485 120 38.064 T1 Helisport, Paved, HIGE
- MOSES RIDGE 34 52.133 x 120 34.584, T1 Helisport, Access Point Sal Road, HIGE
- NORTH FIRE BREAK RIDGE 34 53.395 x 120 36.035 T1 Helisport, multi-helicopters HIGE
- POINT SAL GATE 34 53.290 x 120 38.119 T2 Helisport Need 800 key HIGE
- RATTLE SNAKE RIDGE 34 51.073 x 120 33.581 T1 Helisport, multi helicopters, HIGE
- SAN ANTONIO CREEK 34 46.309 x 120 34.356 Waterpoint, Pond environmental concern, use for life or structures theatened only, 100', HOGE
- TOWER 34 51.002 X 120 35.928 T1 Helisport/Waterpoint, Tender Accessible, 50' HIGE

Prepared 07-04-2020 07:34:45

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 3B (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4
WATER TENDER (1): WT3LPF
CREWS (1): CRW3LPF

2nd Alarm

- AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
- LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
- LPF will except and process any AFV resource order request utilizing our federal ordering process.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
- Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
- ASTRAL 34 49.386 x 120 33.567 Hydrant Waterpoint T2 Helibase Road Accessible 100' elevation HIGE
- BLUFF 34 51.950 x 120 36.866 T1 Helispot,Tender Access, 50', HIGE
- GLOBE RD. 34 51.376 x 120 34.563 T1 Helispot, Road Accessible, Pressure fill 500' hose, HIGE
- LF-08 34 52.485 120 38.064 T1 Helispot, Paved, HIGE
- MOSES RIDGE 34 52.133 x 120 34.584, T1 Helispot, Access Point Sal Road, HIGE
- NORTH FIRE BREAK RIDGE 34 53.395 x 120 36.035 T1 Helispot, multi-helicopters HIGE
- POINT SAL GATE 34 53.290 x 120 38.119 T2 Helispot Need 800 key HIGE
- RATTLE SNAKE RIDGE 34 51.073 x 120 33.581 T1 Helispot, multi helicopters, HIGE
- TOWER 34 51.002 X 120 35.928 T1 Helispot/Waterpoint, Tender Accessible, 50' HIGE

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 4A (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4

WATER TENDER (1): WT3LPF

CREWS (1): CRW3LPF

2nd Alarm

- AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
- LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
- Major Transmission lines
- LPF will except and process any AFV resource order request utilizing our federal ordering process.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone ____ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone ____
- OAK MOUNTAIN - just off rd by corral, Type II Helispot, HIGE, 1600', N 34° 34.275 x W 120° 30.321'
- Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
- WALL BEACH 34 42.307 x 120 35.965 T1 Helispot w/windsock, Medevac site just off road, 40' HIGE
- BURGER 34 30.776 x 120 30.142 T2 Helispot 30' HIGE
- SKY VIEW 34 35.721 x 120 38.258 T2 Helispot, Dust Abatement, 135' HIGE
- SLC 4 34 38.476 X 120 36.850 T2 Helispot/Waterpoint, Traffic Control Needed, Powerlines in the area, 100' HIGE
- SLC6 34 35.041 x 120 38.178 T1 Helispot/Waterpoint, Tender accessible, 135' HIGE
- SOUTH GATE 34 39.668 x 120 33.802 T1 Helispot/Waterpoint, Tender accessible, 173' HIGE
- TRANQUILLION PEAK 34 34.924 x 120 34.296 T2 Helispot, 1,599' HIGE
- SURF DEPOT 34 40.948 x 120 36.292 T1 Helispot, Medevac site, roads, needs traffic control, 47' HIGE
- OCEAN PARK 34 41.438 x 120 36.003 T2 Helispot, Medevac Site, Parking Lot will need traffic control, 27' HIGE

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 4B (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4
WATER TENDER (1): WT3LPF
CREWS (1): CRW3LPF

2nd Alarm

-AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
-LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
-LPF will except and process any AFV resource order request utilizing our federal ordering process.
-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
-OAK MOUNTAIN - just off rd by corral, Type II Helispot, HIGE, 1600', N 34° 34.275 x W 120° 30.321'
-Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
-BURGER 34 30.776 x 120 30.142 T2 Helispot 30' HIGE
-SKY VIEW 34 35.721 x 120 38.258 T2 Helispot, Dust Abatement, 135' HIGE
-SLC 4 34 38.476 X 120 36.850 T2 Helispot/Waterpoint, Traffic Control Needed, Powerlines in the area, 100' HIGE
-SLC6 34 35.041 x 120 38.178 T1 Helispot/Waterpoint, Tender accessible, 135' HIGE
-SOUTH GATE 34 39.668 x 120 33.802 T1 Helispot/Waterpoint, Tender accessible, 173' HIGE
-TRANQUILLION PEAK 34 34.924 x 120 34.296 T2 Helispot, 1,599' HIGE
-SURF DEPOT 34 40.948 x 120 36.292 T1 Helispot, Medevac site, roads, needs traffic control, 47' HIGE
-OCEAN PARK 34 41.438 x 120 36.003 T2 Helispot, Medevac Site, Parking Lot will need traffic control, 27' HIGE

Prepared 07-04-2020 07:34:53

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 5 (AFV)

Low Response

OVERHEAD (1): BC34LPF

Moderate Response

High Response

ENGINE (3): E347LPF4X4, E335LPF, E338LPF4X4
WATER TENDER (1): WT3LPF
CREWS (1): CRW3LPF

2nd Alarm

-AFV DPA - LPCC Ordering Point. Auto Respond ONLY ON A SECOND ALARM.
-LPF will auto. assign the FS Air Tact. A/G, VHF, Command and Crew Net freqs. to AFV fires and Coordinate with AFV Dispatch. AFV IC will radio LPCC on AFV Zone 5 Command to order additional resources. LPCC has an AFV HT to communicate.
-LPF will except and process any AFV resource order request utilizing our federal ordering process.
-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If they want support get atleast 2 people with VISA to provide meals, fluids etc.
-OAK MOUNTAIN - just off rd by corral, Type II Helispot, HIGE, 1600', N 34° 34.275 x W 120° 30.321'
-Casmilla Water Pond - DO NOT USE - 34 51.6119 X 120 32.9878
-WALL BEACH 34 42.307 x 120 35.965 T1 Helispot w/windsock, Medevac site just off road, 40' HIGE
-BURGER 34 30.776 x 120 30.142 T2 Helispot 30' HIGE
-SKY VIEW 34 35.721 x 120 38.258 T2 Helispot, Dust Abatement, 135' HIGE
-SLC 4 34 38.476 X 120 36.850 T2 Helispot/Waterpoint, Traffic Control Needed, Powerlines in the area, 100' HIGE
-SLC6 34 35.041 x 120 38.178 T1 Helispot/Waterpoint, Tender accessible, 135' HIGE
-SOUTH GATE 34 39.668 x 120 33.802 T1 Helispot/Waterpoint, Tender accessible, 173' HIGE
-TRANQUILLION PEAK 34 34.924 x 120 34.296 T2 Helispot, 1,599' HIGE
-SURF DEPOT 34 40.948 x 120 36.292 T1 Helispot, Medevac site, roads, needs traffic control, 47' HIGE
-OCEAN PARK 34 41.438 x 120 36.003 T2 Helispot, Medevac Site, Parking Lot will need traffic control, 27' HIGE

Prepared 07-04-2020 07:34:56